



# Pillars of diagnosis and treatment of migraine (PDTM) Information from primary care physicians in Colombia.

Joe Munoz-Cerón, Loren Gallo

Hospital Universitario MEDERI, Clínica Universitaria Colombia, Fundación Universitaria Sánitas  
Bogotá - Colombia

## Introduction

Most of the migraineurs are attended by primary care physicians (PCPs). There is no information regarding the level of knowledge of this topic at PCPs in Colombia.

## Methods

Cross sectional study.

## Objective

To determine the proportion of PCPs who use the ICHD 3 criteria, prescribe preventive treatment, restricts analgesics and consider comorbidities according to guidelines (PDTM)

## Conclusion

There is a great opportunity to educate PCPs in Colombia

Results %


n:347



65.5%



20-60 y



1. Stovner LJ, Nichlos E ST et al. Global , regional , and national burden of migraine and tension-type headache , 1990 – 2016 : a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurol. 2018;17:954–76. 4.
2. Gültekin M, Balci E, İsmalloğullari S, Yetkin F, Baydemir R, Erdoğan F. Awareness of Migraine Among Primary Care Physicians in Turkey : A Regional Study. 2018;2016–9.
3. Morillo LE, Alarcon F, Aranaga N, Aulet S, Chapman E, Conterno L, et al. Migraine epidemiology in Latin America. Research Submissions. Headache. :106–17.